

SEQUENCE LISTING

```
<110>
      The University of Melbourne
      Small Cyclic Mimics of Brain-Derived Neurotrophic Factor (BDNF)
<120>
<130>
      FP12888
      PCT/AU00/00641
<140>
<141>
      2000-06-08
<150>
      AU PQ0848
      1999-06-08
<151>
<160>
      39
<170>
      PatentIn version 3.1
<210> 1
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
      Sequence derived from amino acid sequence for BDNF
<223>
<220>
      DISULFID
<221>
<222>
      (1)..(14)
<223>
<400> 1
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210>
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> ACETYLATION
<220>
<221>
      MOD_RES
      (14)..(14)
<222>
<223> AMIDATION
```

```
<400> 2
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 3
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<400> 3
Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln
       5
<210> 4
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(12)
<223>
<400> 4
Cys Lys Val Pro Val Ser Lys Gly Gln Leu Lys Cys
<210> 5
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
```

```
<400> 5
Cys Val Pro Val Ser Lys Gly Gln Leu Cys
<210> 6
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(8)
<223>
<400> 6
Cys Pro Val Ser Lys Gly Gln Cys
<210> 7
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
<400> 7
Cys Ala Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 8
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
```

```
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 8
Cys Glu Ala Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 9
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
<400> 9
Cys Glu Lys Ala Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 10
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
<400> 10
Cys Glu Lys Val Ala Val Ser Lys Gly Gln Leu Lys Gln Cys
               5
<210> 11
<211> 14
```

```
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
<400> 11
Cys Glu Lys Val Pro Ala Ser Lys Gly Gln Leu Lys Gln Cys
<210> 12
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 12
Cys Glu Lys Val Pro Val Ala Lys Gly Gln Leu Lys Gln Cys
<210>
      13
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 13
```

```
Cys Glu Lys Val Pro Val Ser Ala Gly Gln Leu Lys Gln Cys
<210> 14
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
<400> 14
Cys Glu Lys Val Pro Val Ser Lys Ala Gln Leu Lys Gln Cys
<210> 15
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
<400> 15
Cys Glu Lys Val Pro Val Ser Lys Gly Ala Leu Lys Gln Cys
               5
<210> 16
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
```

```
<223>
<400> 16
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Ala Lys Gln Cys
<210> 17
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 17
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Ala Gln Cys
                5
                                    10
<210> 18
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 18
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Ala Cys
<210> 19
<211> 10
<212> PRT
```

<222>

(1)..(14)

```
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222>
      (3)..(3)
<223> to residue 3 of SEQ ID NO:20
<400> 19
Cys Val Cys Val Ser Lys Gly Gln Leu Cys
               5
<210> 20
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> DISULFID
<222> (3)..(3)
<223> to residue 3 of SEQ ID NO:19
<400> 20
Cys Val Cys Val Ser Lys Gly Gln Leu Cys
               5
<210> 21
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
```

```
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> DISULFID
<222>
      (4)..(4)
<223> to residue 4 of SEQ ID NO:22
<400> 21
Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
                5
<210> 22
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> DISULFID
<222> (4)..(4)
<223> to residue 4 of SEQ ID NO:21
<400> 22
Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
<210> 23
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
```

```
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID NO:24
<400> 23
Cys Val Pro Val Cys Lys Gly Gln Leu Cys
<210> 24
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222>
      (5)..(5)
<223> to residue 5 of SEQ ID NO: 23
<400> 24
Cys Val Pro Val Cys Lys Gly Gln Leu Cys
<210> 25
<211>
      10
<212>
      PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
```

```
<223>
<220>
<221> MOD_RES
<222>
      (3)..(3)
<223> derivitised with acetamidomethyl
<400> 25
Cys Val Cys Val Ser Lys Gly Gln Leu Cys
<210> 26
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> MOD_RES
<222> (4)..(4)
<223> derivitised with acetamidomethyl
<400> 26
Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
              5
<210> 27
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
```

```
<220>
<221> MOD_RES
<222> (5)..(5)
<223> derivitised with acetamidomethyl
<400> 27
Cys Val Pro Val Cys Lys Gly Gln Leu Cys
<210> 28
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> MOD_RES
<222> (11)..(11)
<223> amide link to residue 11 of SEQ ID NO: 29
<400> 28
Cys Val Pro Val Ser Lys Gly Gln Leu Cys Glu
               5
<210> 29
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
```

```
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> MOD RES
<222> (11)..(11)
<223> amide linkage to residue 11 of SEQ ID NO: 28
<400> 29
Cys Val Pro Val Ser Lys Gly Gln Leu Cys Lys
               5
<210> 30
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222> (1)..(10)
```

```
<223>
<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID NO: 31
<220>
<221> MOD_RES
<222> (11)..(11)
<223> amide linkage to residue 11 of SEQ ID NO: 31
<400> 30
Cys Val Pro Val Cys Lys Gly Gln Leu Cys Glu
                5
<210> 31
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID NO: 30
<220>
<221> MOD RES
<222> (11)..(11)
```

```
<223> amide linkage to reside 11 of SEQ ID NO: 30
<400> 31
Cys Val Pro Val Cys Lys Gly Gln Leu Cys Lys
                5
<210> 32
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> amide linkage to residue 5
<220>
<221> MOD_RES
<222> (5)..(5)
<223> amide linkage to residue 1
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is D-Pro
<400> 32
Xaa Ala Lys Lys Arg
<210> 33
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC FEATURE
<222> (1)..(1)
<223> Xaa is 6-amino hexanoyl
```

```
<220>
<221>
      MOD RES
<222>
      (1)..(1)
<223> amide linkage to residue 4
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> amide linkage to residue 1
<400> 33
Xaa Lys Lys Arg
<210> 34
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is D-Pro
<400> 34
Xaa Ala Lys Lys Arg
<210> 35
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is 6-amino hexanoyl
<400> 35
Xaa Lys Lys Arg
```

```
<210> 36
<211> 5
<212> PRT
<213>
      Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221>
      MISC_FEATURE
<222>
      (2)..(2)
<223> Xaa is D-Pro
<220>
<221>
      MOD_RES
      (1)..(1)
<222>
<223>
      amide linkage to residue 5
<220>
<221>
      MOD RES
<222>
      (5)..(5)
<223>
      amide linkage to residue 1
<400> 36
Ala Xaa Lys Lys Arg
<210> 37
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
      amide linkage to residue 5
<220>
<221> MOD RES
<222>
      (5)..(5)
      amide linkage to residue 1
<223>
```

```
<400> 37
Ala Pro Lys Lys Arg
<210> 38
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is D-Pro
<220>
<221> MOD_RES
<222> (1)..(1)
<223> amide linkage to residue 5
<220>
<221> MOD_RES
<222> (5)..(5)
<223> amide linkage to residue 1
<400> 38
Xaa Ala Ala Lys Arg
<210> 39
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is D-Pro
<220>
<221> MOD RES
<222> (1)..(1)
```

```
<220>
<221> MOD_RES
<222> (5)..(5)
<223> amide linkage to residue 1
<400> 39

Xaa Ala Lys Ala Arg
```